


ROCKVILLE

REQ20



OWNER'S MANUAL

REQ20

DUAL 10 BAND GRAPHIC EQUALIZER

ROCKVILLE


Thank you for purchasing this Rockville REQ20 Dual 10 Band Graphic Equalizer.

We are very proud to bring you what we consider to be the absolute best value line pro audio equalizers. This project has been a culmination of years of development involving a team of dreamers, engineers, designers and marketing gurus. Proudly conceived and developed in the USA, Rockville pro audio equalizers are designed and engineered by a team of music enthusiasts, DJ's and musicians.

We have spared no expense in manufacturing these equalizers to meet the highest quality standards. With proper care and installation this unit will provide you with the highest levels of sound quality. We hope that this unit will bring you years of performance and reliability.

Our goal to you and to your audience is to hear "live performance sound" the way it was meant to be experienced.

Please read this installation guide carefully for proper use of your Rockville REQ20 Dual 10 Band Graphic Equalizer. Should you need technical assistance during or after your installation please call our technical help line at 1-646-758-0144, Monday through Friday, 9am to 5pm EST.



ROCKVILLE

Features / Specifications


- Dual 10 Band Graphic Equalizer (20 Bands Total)
- Frequency Response: 20Hz - 20KHz
- Dual VU Meters Level Monitor
- Blue LED on each Equalizer Slide Control
- Stereo RCA Line Input
- Stereo RCA Line Output
- Stereo RCA Line Output for Record
- Vacuum Fluorescent Display
- Bass/Midrange/High EQ Controls
- Separate Left/Right Channel Volume gain control
- Signal to Noise Ratio: >88dB
- Input Power: AC ~ 110V 60H/220V 50Hz
- 110/220V Switchable
- Front Panel Power Switch
- Removable Rack Mount Brackets
- Dimensions: 17”(19” w/brackets) x 9” x 2.2”
- Weight: 5 lbs



IMPORTANT SAFETY INSTRUCTIONS


- To reduce risk of electric shock, never open the unit. There are no user serviceable parts, refer service to an authorized Rockville service center.
- Do not expose this unit to any kind of moisture.
- Do not place this unit near heat sources or expose to direct sunlight.
- Do not place anything on top of unit. Doing so will block vents and cause the unit to overheat.
- Please ensure that the unit is situated in a properly ventilated area.

REQ20



- | | |
|-----------------------------------|--|
| 1. Power Switch | 11. Audio signal in |
| 2. Left channel bass control | 12. Audio signal out to amplifier |
| 3. Left channel midrange control | 13. Audio out to recording device or mixer |
| 4. Left channel treble control | 14. Voltage selector switch (110v USA) |
| 5. Left channel volume control | 15. User serviceable fuse |
| 6. Vacuum Fluorescent Display | 16. IEC AC power socket |
| 7. Right channel volume control | |
| 8. Right channel bass control | |
| 9. Right channel midrange control | |
| 10. Right channel treble control | |

ROCKVILLE



RockvillePro.com

© 2014 ROCKVILLE // Features and specifications are subject to change and or improvement without notice.