


ROCKVILLE



OWNER'S MANUAL

SPGN254/SPGN258
DUAL 15" PASSIVE SPEAKER




Thank you for purchasing this Rockville SPGN series dual 15" passive speaker.

Please read this installation guide carefully for proper use of your SPGN series dual 15" passive speaker. Should you need technical assistance please call our technical help line at 1-646-758-0144, Monday through Friday, 9am to 5pm EST.




Configurations:


Passive Mixer w/Passive Sub




Passive Mixer w/Passive Monitors




Passive Mixer w/Passive Sub and Passive Monitors




Powered Mixer w/Passive Sub and Passive Monitors



Powered Mixer w/Powered Sub and Passive Monitors




Powered Mixer w/Powered Sub and Powered Monitors



Specifications/Features:

- 750 Watts RMS/1500 Watts Program Power/3000 Watts Peak
- Built-in High Quality Cross-over
- Dual High Power 15" Long-throw Woofers
- 2" KSV Voice Coils
- 51 Oz Magnets
- 1.75" Compression Horn Drivers
- Frequency Response: 45Hz – 20kHz
- Cross-over Frequency: 2.5kHz
- Sensitivity: 99dB @ 1w/1m
- Maximum SPL @ 1w/1m: 128dB
- Impedance SPGN254: 4 ohm
- Impedance SPGN258: 8 ohm
- Nominal Dispersion: 110° – 40°
- Versatile trapezoidal enclosure design allows different positioning
- Speakon input and Speakon output
- Built-in handle and wheels for easy transport
- Built-in storage compartment
- Rugged high impact ABS enclosure



RockvilleAudio.com

©2018 ROCKVILLE // The information presented is subject to change and or improvement without notice.